



## SAFETY DATA SHEET

### Workshop PRO All Seasons Screenwash

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

|                         |                                     |
|-------------------------|-------------------------------------|
| Product name            | Workshop PRO All Seasons Screenwash |
| Product number          | 7128-16                             |
| Internal identification | GHS22757                            |

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                      |                                    |
|----------------------|------------------------------------|
| Identified uses      | Screen wash                        |
| Uses advised against | Do not use for personal cleansing. |

##### 1.3. Details of the supplier of the safety data sheet

|          |  |
|----------|--|
| Supplier | Morris Lubricants<br>Castle Foregate<br>Shrewsbury<br>Shropshire<br>SY1 2EL<br>+44 (0) 1743 232200<br>+44 (0) 1743 353584<br>sds@morris-lubricants.co.uk |
|----------|--|

##### 1.4. Emergency telephone number

|                     |                                       |
|---------------------|---------------------------------------|
| Emergency telephone | +44(0)1743 232200 (08.45 - 17.00 GMT) |
|---------------------|---------------------------------------|

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

|                       |                     |
|-----------------------|---------------------|
| Physical hazards      | Flam. Liq. 3 - H226 |
| Health hazards        | Not Classified      |
| Environmental hazards | Not Classified      |

Classification (67/548/EEC or 1999/45/EC) R10.

##### 2.2. Label elements

###### Hazard pictograms



|                   |                                   |
|-------------------|-----------------------------------|
| Signal word       | Warning                           |
| Hazard statements | H226 Flammable liquid and vapour. |

## Workshop PRO All Seasons Screenwash

|                                 |   |
|---------------------------------|---|
| <b>Precautionary statements</b> | P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|                                 | P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.                  |
|                                 | P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.         |
|                                 | P403+P235 Store in a well-ventilated place. Keep cool.  |
|                                 | P102 Keep out of reach of children.   |
|                                 | P501a Dispose of contents/container to hazardous or special waste collection point.                 |

### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

|                       |  |  |               |
|-----------------------|--|--|---------------|
| <b>Ethanol</b>        |  |  | <b>10-30%</b> |
| CAS number: 64-17-5   | EC number: 200-578-6                             | REACH registration number: 01-2119457610-43-XXXX |               |
| <b>Classification</b> | <b>Classification (67/548/EEC or 1999/45/EC)</b> |  |               |
| Flam. Liq. 2 - H225   | F;R11  |  |               |
| <b>1,2-propandiol</b> |  |  | <b>1-5%</b>   |
| CAS number: 57-55-6   | EC number: 200-338-0                             | REACH registration number: 01-2119456809-23-XXXX |               |
| <b>Classification</b> | <b>Classification (67/548/EEC or 1999/45/EC)</b> |  |               |
| Not Classified        | -  |  |               |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.             |
| <b>Ingestion</b>    | Rinse mouth thoroughly with water. Get medical attention if a large quantity has been ingested.                  |
| <b>Skin contact</b> | Remove contaminated clothing immediately and wash skin with soap and water.                                      |
| <b>Eye contact</b>  | Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. |

### 4.2. Most important symptoms and effects, both acute and delayed

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Drowsiness, dizziness, disorientation, vertigo.  |
| <b>Ingestion</b>    | May cause stomach pain or vomiting. The casualty may appear intoxicated. There may be confusion, aggressive behaviour, slurred speech and staggering walk. |
| <b>Skin contact</b> | Prolonged skin contact may cause temporary irritation.   |
| <b>Eye contact</b>  | There may be irritation and redness  |

### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

## Workshop PRO All Seasons Screenwash

### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** The product is flammable. In case of fire: Toxic gases or vapours.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Turn leaking containers leak-side up to prevent further escape if practical and safe to do so.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica). Fill into labelled, sealable containers. No smoking, sparks, flames or other sources of ignition near spillage.

### 6.4. Reference to other sections

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only in well-ventilated areas. Avoid the formation of mists.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 7.3. Specific end use(s)

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Ethanol

Long-term exposure limit (8-hour TWA): WEL 1920 mg/m<sup>3</sup>

##### 1,2-propandiol

Long-term exposure limit (8-hour TWA): WEL 474 mg/m<sup>3</sup> respirable dust

WEL = Workplace Exposure Limit

### 8.2. Exposure controls

**Appropriate engineering controls** Good general ventilation should be adequate to control worker exposure to airborne contaminants.

**Eye/face protection** Wear eye protection.

## Workshop PRO All Seasons Screenwash

|                               |  |
|-------------------------------|--|
| <b>Hand protection</b>        | Wear protective gloves.  |
| <b>Respiratory protection</b> | No specific requirements are anticipated under normal conditions of use. |

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|  |                      |
|--|----------------------|
| <b>Appearance</b>                      | Liquid.              |
| <b>Colour</b>                          | Yellow. Green.       |
| <b>Odour</b>                           | Pleasant, agreeable. |
| <b>Initial boiling point and range</b> | >35°C @ 760 mm Hg    |
| <b>Flash point</b>                     | 32°C                 |
| <b>Evaporation rate</b>                | Moderate             |
| <b>Relative density</b>                | 0.950                |
| <b>Solubility(ies)</b>                 | Soluble in water     |

#### 9.2. Other information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

|                   |   |
|-------------------|---|
| <b>Reactivity</b> | Flammable liquid. See also section 10.5 |
|-------------------|---|

#### 10.2. Chemical stability

|                  |   |
|------------------|---|
| <b>Stability</b> | Stable at normal ambient temperatures and when used as recommended. |
|------------------|---|

#### 10.3. Possibility of hazardous reactions

|   |   |
|---|---|
| <b>Possibility of hazardous reactions</b> | Does not decompose when used and stored as recommended. |
|---|---|

#### 10.4. Conditions to avoid

|                            |   |
|----------------------------|---|
| <b>Conditions to avoid</b> | Avoid heat, flames and other sources of ignition. |
|----------------------------|---|

#### 10.5. Incompatible materials

|                           |   |
|---------------------------|---|
| <b>Materials to avoid</b> | Avoid contact with strong oxidising agents. Strong acids. |
|---------------------------|---|

#### 10.6. Hazardous decomposition products

|   |  |
|---|--|
| <b>Hazardous decomposition products</b> | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. |
|---|--|

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

|                     |   |
|---------------------|---|
| <b>Ingestion</b>    | Irritating. May cause nausea, stomach pain and vomiting. The casualty may appear intoxicated. There may be confusion, aggressive behaviour, slurred speech and staggering walk. |
| <b>Skin contact</b> | Causes mild skin irritation.  |
| <b>Eye contact</b>  | There may be irritation and redness   |

### SECTION 12: Ecological information

#### 12.1. Toxicity

## Workshop PRO All Seasons Screenwash

### 12.2. Persistence and degradability

**Persistence and degradability** Inherently bio-degradable according to OECD guidelines.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product is not bioaccumulating.

### 12.4. Mobility in soil

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** Not available

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). (SP144 An aqueous solution containing not more than 24% alcohol by volume is not subject to the requirements of ADR/IMDG)

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## Workshop PRO All Seasons Screenwash

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR)

#### 15.2. Chemical safety assessment

### SECTION 16: Other information

|                           |   |
|---------------------------|---|
| Revision date             | 04/06/2020  |
| Revision                  | 4   |
| Supersedes date           | 21/05/2020  |
| SDS number                | 22757   |
| Risk phrases in full      | Not classified.<br>R10 Flammable.<br>R11 Highly flammable.                    |
| Hazard statements in full | H225 Highly flammable liquid and vapour.<br>H226 Flammable liquid and vapour. |